



Uniden® XTRAK



JAPANESE QUALITY
ENGINEERED FOR AUSTRALIA

BUILT RUGGED
FOR AUSTRALIAN & NZ CONDITIONS

MOBILE AND HANDHELD RANGE KEY FEATURES

**Designed and Engineered
in Japan**

**Large Anti-Glare OLED
Display with Dimmer**

**2-Watt Speaker in Remote
Microphone & Handheld**

80 UHF Channels¹

Voice Scrambler

**Open/Group Scan with
Priority Channel watch**

**5-Watt Maximum
TX Output Power**

MOBILE ONLY FEATURES

**Magnetic Microphone
Mount**

**Selcall Function with
Alpha Tag**

**12 / 24 Voltages suitable
for any vehicle**

External Speaker Jack

**Dedicated Instant
Replay Key:**

Replay up to 6 minutes
(4 minutes for handheld)
of received transmissions

**3 Programmable
Smart Keys, from:**

- Instant channels
- Triple Watch (mobile only)
- 10 (5 for handheld)
level squelch adjust
- Call tone
- Monitor mode
- Equaliser

**100 Extra User
Programmable
RX Channels:**

400-520 MHz in
12.5kHz steps
(mobile only)

Master Scan®: Uninterrupted
communication

Shared Channel Quiet Filter:
104 DCS and 50 CTCSS codes



Uniden® XTRAK

XTRAK 80



- 1 x XTRAK 80 Base Unit
- 1 x XTRAK 80 Remote Microphone
- 1 x Quick Release Bracket Kit
- 1 x Gimbal Mounting Bracket
- 1 x Magnetic Mic Mount
- 1 x 2m Mic extension Cable
- 1 x DC Power Lead with Fuse
- 2 x Uniden Decals

XTRAK 80 ADVENTURE PACK



- 1 x XTRAK 80 Base Unit
- 1 x XTRAK 80 Remote Microphone
- 1 x ATX890S 3.0 dBi Antenna
- 1 x Quick Release Bracket Kit
- 1 x Gimbal Mounting Bracket
- 1 x Magnetic Mic Mount
- 1 x 2m Mic extension Cable
- 1 x DC Power Lead with Fuse
- 2 x Uniden Decals



ATX890S Key Features



- Heavy Duty Radome Antenna with Aluminium Ferrule and Stainless Steel Spring
- 477MHz , Ground Independent
- 3.0 dBi Gain
- Colour: Black
- Spring Style: Ø30-45-30 mm Barrel, Ø6mm thread
- Whip Length: 504mm
- Mounted Height: 612mm
- 4.5m low loss Coax Cable
- Terminated FME Female Connector and PL259 Adaptor
- Locking Key and Weather Cap